TRANSMISSION CORPORATION OF TELANGANA LIMITED



From
The Chief Engineer (P&MM),
TSTRANSCO,
Vidyut Soudha,
Hyderabad – 500 082.

To M/s Atlanta Electricals Private Limited., 1503-4, GIDC Estate Vithal Udyog Nagar Gujarat- 388121 Ph. 02692235023 Fax No. 02692237203 sales@atlantaelectricals.com

PO.No.189 -PMM/2018/CE(P&MM)/TSPMM12-05/2018/31.5MVA 132/11kV-Atlanta/D.No. 694, Dt. 14 -09-2018

Sirs,

Sub: Supply of 4 Nos 31.5MVA, 132/11KV Power Transformers (Star-Delta with vector group YNd11) against Bid Specification No.TSPMM12-05/2018 - Detailed Purchase Order – Issued - Reg.

Ref: 1) Tender Specification No. TSPMM 12-05/2018.

- 2) Your offer against Tender Specification No. TSPMM 12-05/2017.
- 3) AEPL/TSTRANSCO/TENDER/31.5MVA/RNK, Dt 09-07-2018
- 4) LOI No: CE/P&MM/DE12/ TSPMM12-05/2018 /31.5MVA/D.No. 577 /18, Dt. 23 -07-2018
- 5)Your LOI acceptance Lr.No. AEPL/JTL/AD/2018-01, Dt:14-08-2018

I, acting for and on behalf and by the order and direction of TRANSMISSION CORPORATION OF TELANGANA LIMITED (hereinafter called the TSTransco), accept the prices offered by you vide ref(2) cited, read with your letter 3rd cited, against Specification No. TSPMM 12-05/2018, for supply of the equipment detailed in Clause-2 below, with the terms and conditions as per Specification TSPMM12-05/2018. This Purchase Order is issued in confirmation of Letter of Intent issued under ref (4) cited, accepted by you vide ref (5) cited.

1. SCOPE OF CONTRACT: This contract relates to the supply of the equipment detailed in Clause-2 below and covers design, manufacture, testing before dispatch and delivery free at destination substations /stores (FADS) as detailed in this order.

2. SCHEDULE OF PRICES

a) 31.5MVA, 132/11KV Power Transformers (Star-Delta with Vector Group YNd11)- 4Nos.

Sl. No	Description of Material	Qty Nos	Ex-Works price per unit in Rs.	Packing &Forw arding	Unit Freight Price in Rs.	Unit Insurance Price in Rs.	Total price for I unit without taxes Rs.	IGST @ 18%	Unit Price with taxes (FAD) Rs.	Total FADS price for 2 Nos. PTRs Rs.
1	'M/s Atlanta Electricals Private Limited ' make 31.5 MVA, 132/11kV(Star-Delta) ONAN/ONAF cooling 3 phase 50c/s Power Transformers (Vector group YNd11) complete with OLTC and RTCC cubicles with first filling of EHV grade Trf. Oil and having impedance 12.5% and with OLTC taps of +10% to -10% in steps of 1.25% each on HV winding for HV variation and complete with all fittings, accessories as per IS 2026/1977 vide Annexure-I. (HSN Code: 85042310)	- 4	1,04,05,100.00	Inclusive	6,00,000.00	Inclusive	1,10,05,100.00	19,80,918.00	1,29,86,018.00	5,19,44,072.00
Total FAD price for 4Nos. PTRs in Rs.							5,19,44,072.00			

(Rupees Five Crores Nineteen Lakhs Forty Four Thousand and Seventy Two only)

CHIEF ENGINEER/P&MM

- b) The prices accepted above are free at destination sites/stores.
- c) The prices for Power Transformers are variable as per IEEMA with a ceiling of + 50% and no ceiling on negative variation. The date of bid opening is 17-05-2018. The base indices will be as prevailing on 01-04-2018. The applicable IEEMA PVC formulae are indicated in Annexure-II.
- d) The dispatch of the equipment is by road only. The transit insurance shall include storage cover for 45 days at stores/site.
- e) The present rate of IGST @18% is applicable.
- f) The penalty, if any, arising due to delay in supplies over the contract delivery period will be deducted invariably at the rate indicated in clause-9, while raising Bills for the supplies made.
- g) All the contractual drawings shall be got approved by this office before commencement of delivery.
- h) The TSTransco shall have the right to vary the ordered quantity by \pm 50% at any time during the execution of the order.
- i) You shall claim prices indicated in P.O. in your regular bills. The price variation bills will be paid separately, after approval of relevant price variation claims and after deduction of recoveries/penalties if any against the supplies made. If the date of delivery as defined in the P.V. formula is beyond the contracted delivery date, the scheduled delivery date or notified date of inspection or the actual delivery date which ever is advantageous to the Purchaser will form the basis for calculation of price variation.
- j) The Price is inclusive of all incidental charges such as packing, forwarding, handling, loading and other incidentals. However, unloading of the Transformer is to TSTransco account.
- k) If any payment is made errounously, TSTransco reserves the right to recover the same from your future bills/BGs

1) GUARANTEED LOSSES AND PENALTY:

Transformer Capacity	31.5 MVA, 132/11kV		
Maximum Guaranteed No Load losses (Iron losses) in kW	18 kW Max.		
Maximum Guaranteed Load (Copper losses) + Auxiliary	120 kW Max.		
Losses in kW	120 11 (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

The actual no load loss in kilowatts at rated voltage and rated frequency and the total load losses in kilowatts at rated output, rated voltage and rated frequency at 75°C shall be within the guaranteed losses. It may be noted that the actual losses shall not exceed the guaranteed losses by the bidder during final testing of the transformer under any circumstances. During the testing if actual losses are higher than the specified loss levels, the material will be rejected.

3. DELIVERY SCHEDULE:

The supplies shall commence with 1No.transformer within <u>Three</u> months from the date of issue of Letter of Intent and balance @ 1 No per month, thereafter. You are requested to advance the supplies, as transformers are urgently required. Accordingly, the delivery schedule of transformers is as follows:

Transformer Capacity	31.5 MVA,132/11kV				
Number of Transformers	4 Nos.				
Delivery by					
(i) 22-10-2018	1 No. Tr.				
(ii) 22-11-2018	1 No. Tr.				
(iii) 22-12.2018	1 No. Tr.				
(iv) 22-01-2019	1 No. Tr.				

The purchaser shall arrange for unloading of the transformer at the destination site.

You are also requested to advance the deliveries as these transformers are urgently required for ongoing works. As soon as dispatch is effected, the details with Serial Nos. of Transformers shall be sent within a week.

4. DYNAMIC SHORT CIRCUIT WITHST AND CAPABILITY CALCULATIONS:

You shall furnish Dynamic Short Circuit Withstand Capability calculations in detail, along with the drawings to prove that the Transformer will withstand to the Short Circuit faults. However, the entire responsibility of the design for the satisfactory performance ultimately lies with the manufacturer.

5. DESIGN REVIEW:

Design reviews shall be conducted by the Purchaser at drawings approval stage following the Guidelines for conducting design reviews for transformers. These design reviews shall be carried out in detail to the specific design with reference to Guaranteed technical particulars committed by the bidder. However, the entire responsibility of the design for the satisfactory performance ultimately lies with the manufacturer.

6. PERFORMANCE SECURITY:

On receipt of Letter of Intent, Performance security shall be furnished for an amount of 10% of the contract value for proper fulfillment of the contract, which will include the warranty period and completion of performance obligations including Warranty obligations. The Performance security will cover 60 days beyond the date of completion of performance obligations including Warranty obligations.

In the event of any correction of defects or replacement of defective material during the warranty period, the warranty for the corrected/replaced material will be extended to a further period of 12 months and the Performance Bank Guarantee for proportionate value will be extended 60 days over and above the extended warranty period. The proceeds of the performance security will be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.

The performance security will be...

- (a) A Bank Guarantee issued by State Bank of India or its associate Banks/Nationalised Banks acceptable to the Purchaser, in the form provided in the bidding documents.
- (b) A banker's cheque or crossed DD or Pay Order payable at the head quarter of the Purchaser in favour of the Purchaser drawn on any scheduled Bank.

The performance security will be discharged by the Purchaser and returned to the Supplier not later than sixty (60) days after the expiry date.

Failure of the successful Bidder to comply with the above requirement will entail cancellation of the award and forfeiture of the Bid Security.

In case where the performance security is not yet paid, the bid security will be forfeited and the balance to makeup the performance security deposit will be deducted from pending payments any due to the bidder from TSTransco on other orders. In addition the company will also became liable for black listed by TSTransco.

It is entirely your responsibility to extend the validity of this Bank Guarantee to cover the period of guarantee well before its expiry.

7. PAYMENT:

a) 100% payment will be arranged from Banks/REC/PFC/ TSTransco within 45 days reckoned from the check measurement date in Form-13.

However payment in advance may be considered by TSTransco after availing a rebate/discount @ 0.3% per week or part thereof for the advancement depending on the availability of funds. The supplier shall directly address the Executive Director/Finance for release of advance payment against the discount offered duly submitting the Form-13.

By way of Electronic Fund Transfer (EFT) with RTGS details of Bank Account of M/s Atlanta Electricals Private Limited, Gujarat as follows:

Name of the Bank
 State Bank of India
 Branch Address
 3rd and 4th Floor

Mid Town Height, Jetalpur Road,

Vadodara-390007

3. Branch code : Industrial Finance Branch(1946)

4. City Mumbai 5. Account No. 31732790700 6. MICR code 390002030 7. IFSC No. SBIN0001946 8. PAN No AABCA6647B 9. GST. No 24AABCA6647BIZ4

- b) The 100% payment mentioned above is subject to submission of performance security by the supplier as per clause (6) above.
- c) The supplier should invariably submit test certificates and other documents, the purchaser specifies as soon as dispatch is made so that they can be checked and approved well in advance.
- d) The performance guarantee to be executed in accordance with this specification is to be furnished on a stamp paper of value Rs.100/-. The Bank Guarantee will be extended if required suitably. In accordance with the provisions of Performance Security Clause.
- e) If the supplier has received any over payments by mistake or if any amounts are due to the TSTransco due to any other reason, when it is not possible to recover such amounts under the contract resulting out of this specification, the TSTransco reserves the right to collect the same from any other amount and / or Bank Guarantees given by the company due to or with the TSTransco.
- f) When the supplier does not at any time, fulfill his obligations in replacing / rectifying etc. of the damaged / defective materials in part or whole, promptly to the satisfaction of the TSTransco Officers, the TSTransco reserves the right not to accept the bills against subsequent dispatches made by the supplier and only the supplier will be responsible for any demurrages, wharfages or damage occurring to the consignments so dispatched.
- g) Any incidental charge such as stamp duty, bank charges etc, shall be to the suppliers account and any charges in relation there to shall not be included in the bills submitted to the TSTransco.
- h) All payments will be made in non-convertible Indian Rupees.

8. RESPONSIBILITY OF THE SUPPLIER FOR LOSS/DAMAGE:

- a) The supplier is responsible for the safe delivery of the goods in good condition at the destination. He should acquaint himself of the conditions obtaining for handling and transport of the goods to destination and shall include and provide for security and protective packing of the goods so as to avoid damage in transit.
- b) External damages or shortages that are prima facie the result of rough handling in transit or due to defective packing will be intimated within a fortnight of the receipt of the materials. Internal defects, damages or shortages of any internal parts which cannot ordinarily be detected on a superficial visual examination though due to bad handling in transit or defective packing will be intimated later. In either case the defective, or damaged materials should be replaced by the supplier free of cost to the TSTransco. If no steps are taken within 15 days of receipt of intimation of defects or such other reasonable time as the TSTransco may deem proper to afford, the TSTransco may without prejudice to its other rights and remedies cause to be repaired or rectified them defective material or replace the same and recover the expenditure incurred therefore from the deposit such as Earnest Money, Security and Performance or other monies available with the TSTransco or by resorting to legal action.
- c) For the purpose of any legal construction, the material shall be deemed to pass into TSTransco 's ownership only at the final destination where they are delivered and accepted i.e.Form-13 is issued.
- d) As Insurance charges are included in your prices, you should cover the equipment against transit risks and also and also storage for 45 days at destination stores/sites before taking into stock. It is entirely your responsibility for arranging the insurance through your underwriters. The damages and shortages will be intimated to you as stipulated in Clause 8(b) and you shall arrange for replacement/repairs immediately without awaiting settlement from insurance authorities.

9. PENALTY FOR LATE DELIVERY:

- a) The delivery period as per agreed delivery schedule shall be deemed to be the essence of the contract. In case of delay in delivery of materials at destination beyond the agreed delivery schedule or to perform the services within the period specified in the contract whatever be the reason the TSTRANSCO may at its option, demand and recover from the supplier from the contract price, as liquidated damages, a sum equivalent to 0.5% per week on the undelivered portion subject to a maximum of 5% of total value of contract.
- b) For penalty, the number of days of delay would be rounded off to the nearest week and penalty calculated accordingly.
- c) Material/ equipment which are not of acceptable quality or are not conforming to specifications would be deemed to be not delivered.
- d) The penalty specified in clause 9(a) shall be levied and if they cannot be recovered in current bills, they would be adjusted against subsequent pending bills.
- e) The check measurement date in Form-13 i.e. the date of receipt of material at destination stores in good condition will be taken as the date of delivery.

10. FORCE MAJEURE

- a) The Supplier will not be liable for forfeiture of its performance security, penalty for late delivery, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contact is the result of an event of Force Majeure.
- b) For purposes of this clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not restricted to, wars or revolutions fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- c) If a Force Majeure situation arises, the supplier will promptly notify the Purchaser in writing of such condition and the cause thereof within 15 days. Unless otherwise directed by the Purchaser in writing, the Supplier will continue to perform its obligations under the Contract as far as is reasonable in practice, and will seek all reasonable alternative means for performance not prevented by the Force Majeure event. No price variance will be allowed during the period of force majeure.

11. TERMINATION FOR DEFAULT:

- a) The Purchaser, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate this Contract in whole or in part:
 - i) If the Supplier fails to deliver any or all of the Materials / equipment within the period(s) specified in the Contract, or within any extension thereof granted by the Purchaser.
 - ii) If the Supplier fails to perform any other obligation(s) under the Contract. If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.
- b) In the event the Purchaser terminates the Contract in whole or in part, the Purchaser may procure, upon such terms and in such manner, as it deems appropriate, Materials / equipment or services similar to those undelivered, and the Supplier will be liable to the Purchaser for any excess costs for such similar Materials / equipment or Services. However, the Supplier will continue performance of the Contract to the extent not terminated.

12. TERMINATION FOR CONVENIENCE:

- a) The Purchaser, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination will specify the termination is for the Purchaser's convenience, the extent to which performance of the supplier under the Contract is terminated, and date upon which termination becomes effective.
- b) However the Materials / equipment that are complete and ready for shipment within thirty (30) days after the supplier's receipt of notice of termination will be accepted by the Purchaser at the Contract terms and prices.

13. WARRANTY:

- a) The supplier will warrant for the satisfactory functioning of the material / equipment as per specification for a minimum period of **60 months** from the receipt of the material / equipment at TLC Stores or site in good condition. If during this period any of the material is found defective they shall be repaired or replaced by you free of all costs to the TSTransco. To and fro freight charges shall, however be to your account only.
- b) The Supplier warrants that the Materials / equipment supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The supplier further warrants that all Materials / equipment supplied under this Contract will have no defect, arising from a design and / or materials as required by the Purchaser's specifications or from any act of omission of the Supplier that may develop under normal use of the supplied Materials / equipment.
- c) All the material will be of the best class and will be capable of satisfactory operation in the tropics under service conditions indicated in clause 23.1 of Tender Specification without distortion or deterioration. No welding filling or plugging of defective parts will be permitted, unless otherwise specified, they will conform to the requirements of the appropriate Indian, British or American Standards. (Where a standard specification covering the material in question has not been published, the standards of the American Society for testing of Materials should be followed).
- d) The entire designs and Construction will be capable of withstanding the severest stresses likely to occur in actual service and of resisting rough handling during transport.
- e) Unless otherwise specified the warranty period will be 60 months from the date of acceptance of the Materials / equipment. The Supplier will, in addition, comply with the performance guarantees specified under the contract. If, for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the supplier will at its discretion either, make such changes, modifications, and/or additions to the Materials / equipment or any part thereof as may be necessary in order to attain the contractual guarantees specified in the contract at its own cost and expense and to carry out further performance tests as per the relevant standards.
- f) The Purchaser will promptly notify the supplier in writing of any claims arising under this warranty.
- "Upon receipt of such notice, the Supplier will within 30 days repair or g) replace the defective Materials / equipment or parts thereof, free of cost at The supplier will take over the replaced the ultimate destination. parts/Materials/equipment at the time of their replacement. No claim whatsoever will lie on the Purchaser for the replaced parts/Materials/equipment thereafter". In the event of any correction of defects or replacement of defective material during the warranty period, the warranty for the corrected/replaced material will be extended to a further period of 30 months.

a) If the Supplier, having been notified, fails to remedy the defect(s) within the above period, the Purchaser may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense duly deducting the expenditure from subsequent bills / bank guarantee and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.

To and fro freight charges shall, however be to your account only.

14. GOODS AND SERVICES TAX:

The Goods and Services Tax is payable on Ex-works + Freight+Insurance+Packing and forwarding charges.

15. STATUTORY VARIATIONS:

Any variation up or down in statutory levy or new levies introduced <u>after tender calling date</u> under this specification will be to the account of TSTransco provided that in cases where delivery schedule is not adhered to by the supplier and there are upward variation / revision after the agreed delivered date the supplier will bear the impact of such levies and if there is downward variation / revision the TSTransco will be given credit to that extent.

Statutory variation if any allowed, it is allowed only once during delivery period i.e., at the time of delivery of goods at factory".

In case of sub-vendor items, taxes & duties are inclusive in tender price. No statutory variation is applicable.

In cases where the bidder assumes less tax rates and become lowest, upward variation of taxes will not be considered. In case of the bought out items for which the prices are quoted all inclusive of taxes, statutory variation shall not be applicable.

16. DESPATCH INSTRUCTIONS:

The dispatch instructions for the equipment will be furnished separately on satisfactory scrutiny of acceptance test certificates.

The prices indicated in Clause (2) above shall remain unaltered whatever be the destination.

The manufacturers serial No.of the transformer shall be punched on the Yoke with 25mm size no. punch near yoke HV R phase tapping point and LV B Phase tapping point. The no. may also be punched on lifting lugs before offering for inspection

17. INSPECTION:

- a) The TSTransco may at its option get the materials inspected by a third party if it feels necessary. In such case, inspection charges shall be borne by supplier.
- b) The accredited representative of the TSTransco shall have access to you or your sub-contractor's works at any time during the working hours for the purpose of inspecting the manufacture of the plant and equipment and or testing, any selected samples from the material going into the plant and equipment. You shall on such occasions provide proper and adequate facilities for testing the selected samples at any time. Adequate notice of 15 days shall given for deputing the departmental representatives for witnessing the tests on the equipment. The equipment should not be dispatched without final inspection of the tests or specific waiver thereof from this office.

18. TESTS & TEST CERTIFICATES:

- a) You will have to conduct the following type tests/special tests on first/anyone unit of Transformers at free of cost.
- i) Temperature rise test with DGA before and after the test.
- ii) Impulse test on each phase of HV & LV limbs
- iii) Zero phase sequence impedance test
- iv) Vacuum Test & Pressure Test
- v) Accoustic Noise level test
- vi) Harmonic measurement test
- vii) Power taken by auxiliaries
- b) You shall furnish the following details during stage inspection
- i) Grade of CRGO used.
- ii) W/Kg of the CRGO
- i) Core area and weight (by calculation)
- ii) Conductor cross section of HV, IV & LV Coils
- iii) Net quantity of Copper used in HV, IV & LV coils (by calculation)
- c) You will have to conduct the tests on Transformer oil before and after filling up of oil in Transformer at your works and also after delivery at TSTransco site/stores. The test results should be matched in accordance with the test reports produced by manufacturers of Transformer oil.

During final inspection of Transformer, the oil test certificates of the Transformer oil shall be submitted.

All standard routine tests in accordance with relevant ISS/BSS/IEC Specifications shall be conducted on each transformer. Additional routine tests viz. Magnetic Circuit test, oil leakage test on transformer tank, measurement of capacitance & tan delta tests and pressure relief device test shall also be carried out.

You shall intimate this office at least 15days in advance as to the date when you propose to conduct the tests for deputing TSTransco representative to witness the test. Three copies of the test certificates containing the results of all the tests carried out shall be supplied for approval.

The test certificates shall be submitted immediately after the tests are conducted and got approved before the equipment is dispatched. A copy of the test results shall be sent to the destination along with the transformer (by keeping in OLTC drive mechanism box).

19. CONTRACT DRAWINGS:

The drawing of the equipment furnished by you are approved, vide reference (9) cited. Approval by the TSTransco to the supplier's drawings shall not relieve the supplier of his responsibility for correctness thereof or from results arising out of error or omission there in or from any obligation or liability under the contract. Any supplementary drawings necessary to permit the complete design of the installation prior to receiving the equipment shall also be supplied. 6sets of all approved drawings along with soft copy and one set of reproducible drawings shall be furnished. One set of drawings and instruction manuals may be sent along with each equipment at the time of dispatches. Copies of drawings and manuals shall also be sent to other offices as indicated below.

Consignee : 3 sets of approved drawings per each Transformer along with

instruction manuals.

S.E.Incharge : 3 sets of approved drawings with instructions manuals per

Transformer.

20. ERECTION OPERATION & MAINTENANCE MANUALS:

Erection, Operation and Maintenance manuals with soft copy shall be supplied as per distributions given below giving detailed instructions with illustrations along with the equipment. They shall contain clear instructions on erection and maintenance of the equipment and recommended schedule of maintenance for the guidance of the operating staff. Any items requiring the special attention of the operation engineer should be highlighted.

- a) 3 sets to this office
- b) Consignee: 1 set per each Transformer.
- c) 3 sets for each Substation. These shall be sent to the concerned Divisional Engineer/ Executive Engineer.
- d) S.E. incharge: 2 sets of manuals.

21. COMPLETENESS OF CONTRACT:

All minor accessories that are normally necessary for satisfactory and efficient operation of the equipment shall be supplied by you free of cost to TSTransco whether these are specially mentioned or not in the Specification, your tender schedules or in this purchase order and the equipment shall be complete in itself.

22. GENERAL CONDITIONS OF CONTRACT:

Except in so far as it is provided otherwise in this contract you shall abide by the terms and conditions appended to the specification. Except as specifically accepted in this order, the terms and conditions mentioned in your quotation under reference are not accepted.

23. **RISK**:

The risk in the property is entirely yours till the goods are received in good condition at the destination.

24. PACKING:

Each of the equipment shall be securely packed separately in such a manner as to withstand rough handling during rail and road transit upto site and as per latest IS/BSS/IEC. There shall be separate packing for each item.

25. MAXIMUM WEIGHTS & DIMENSIONS OF PACKAGES:

You are responsible for obtaining prior information of the facilities that exist for road transport upto the destination station, such as maximum weight and size of packages and crane lift, etc.

26. MATERIAL & WORKMANSHIP:

All the materials shall be of the best class and shall be capable of satisfactory operation in the tropics under service conditions without distortion or deterioration. No welding or filling or plugging of defective parts shall be permitted, unless otherwise specified they shall conform to the requirement of the appropriate Indian,

British or American standards (where a standard specification covering the material in question has not been published the standards of the American society for testing of materials should be followed).

The entire design and construction shall be capable of withstanding the several stresses likely to occur in actual services and of resisting rough handling during transport.

27. INSURANCE

The Materials / equipment supplied under the Contract will be fully insured against loss or damage incidental to manufacture or acquisition, transportation and delivery and also storage for 45 days at destination stores/site.

The insurance will be in an amount equal to 100% FADS value of material/equipment on all risks basis. The policy will have a provision for extension to cover further storage if necessary at destination stores / site at TSTransco cost. The insurance beneficiary shall be TSTransco.

The supplier shall a) Initiate and pursue insurance claim till settlement, and b) Promptly arrange for repair and or replacement of any damaged items in full irrespective of settlement of insurance claim by the under writers, c) All costs because of insurance liabilities covered under the contract will be to supplier's account. The supplier shall provide the Purchaser with a copy of all insurance policies and documents taken out by him in pursuance of 'Contract'. Such copies of documents shall be submitted to the purchaser immediately after such insurance coverage. The supplier shall also inform the Purchaser in writing at least sixty (60) days in advance, regarding the expiry, cancellation and /or change in any of such documents and ensure revalidation/renewal etc., as may be necessary well in time.

The risks that are to be covered under the insurance shall be comprehensive and shall include but not limited to, the loss or damage in transit, storage, due to theft, pilferage riot, civil commotion, weather conditions, accident of all kinds, fire, flood, war risk (during ocean transportation) bad or rough handling etc., The scope of such insurance shall cover the entire contract value.

All costs on account of insurance liabilities covered under the contract will be on supplier's account and will be deemed to have been included in the bid price.

The documentary proof towards insurance shall be submitted while transporting the material/equipment to the purchasers destination

28. INTERCHANGEABILITY:

All similar material and removable parts of similar equipment shall be interchangeable with each other.

29. SPARES:

You shall supply any spares required for the equipment that will be supplied under this order, whenever called upon to do so at fair prices and at the TSTRANSCO's standard terms of payment.

30. PROGRESS REPORTS:

You shall furnish the program of works and progress reports on the manufacture of equipment to this office every month in triplicate till the supplies are completed.

31. CORRESPONDENCE:

- a) Your acknowledgement of this order and all correspondence of general or technical nature shall be addressed to the Chief Engineer (P&MM), TSTransco, Vidyut Soudha, Hyderabad –500 082.
- b) All correspondence regarding dispatches, payments and any other field matters shall be addressed to concerned Paying Officer. Copies of such correspondence shall be marked to the concerned Superintending Engineer and to the Chief Engineer (P&MM), TSTransco, Vidyut Soudha, Hyderabad 500 082. Copies of the correspondence regarding payments should also be marked to the Executive Director /Finance, TSTransco, Vidyut Soudha, Hyderabad –500 082.

32. JURISDICTION:

All and any disputes or differences arising out of or touching this order shall be decided only by courts or tribunals situated in Hyderabad or Secunderabad cities. No suit or other legal proceedings shall be instituted elsewhere.

33. SUPERVISION OF TESTING AND COMMISSIONING:

You have to provide services of qualified personnel for supervision of erection, testing and commissioning of the transformers wherever required at free of cost.

34. ACKNOWLEDGEMENT:

Please acknowledge the receipt of this Purchase Order with confirmation of its acceptance by you and extra copy enclosed herewith may please be returned with your signature in token of your acceptance.

Encl.: (i) Annexure - I & II

Yours faithfully,

Chief Engineer (P&MM),

(Acting for and on behalf of TSTRANSCO)

WE ACCEPT THE TERMS AND CONDITIONS OF THIS PURCHASE ORDER

SIGNATURE OF THE CONTRACTOR WITH SEAL AND DATE

Copy to:

The Executive Director /LIS/TSTRANSCO/Vidyut Soudha/Hyderabad

The Chief Engineer/ LIS /TSTRANSCO/Vidyut Soudha/Hyderabad

The Superintending Engineer/ LIS -I/TSTRANSCO/Vidyut Soudha/ Hyderabad (*).

The Superintending Engineer/ LIS -II/TSTRANSCO/Vidyut Soudha/ Hyderabad (*)

The Executive Director /Finance /TSTRANSCO/Vidyut Soudha/Hyderabad.

The SAO (Pay & Accounts)/TSTRANSCO/Vidyut Soudha/Hyderabad.

The Divisional Engineer/Construction Stores/ TSTRANSCO/Erragadda/ Hyderabad.

The Chief Engineer/Warangal Zone, TSTRANSCO, Warangal (*)

The Chief Engineer/Karimnagar Zone, TSTRANSCO, Karimnagar (*)

The Chief Engineer/Metro Zone, TSTRANSCO, Erragadda, Hyderabad (*)

The Chief Engineer/Rural Zone, TSTRANSCO, Hyderabad

(*)

(* Copy of this PO is available on http://tgto.telangana.gov.in/

ANNEXURE - I

1. Standards : The Transformer shall conform to IS:2026/1977 and

Specification No.TSPMM12-05/2018.

2. Oil : The Transformer Oil shall conform to IS:335.

3. Fittings and : (a) Conservator with air cell, oil filling hole, cap and drain valve.

- (b) Magnetic type oil gauge with low oil level alarm.
- (c) Silicagel breather with oil seal. Silica Gel breathers must be metallic containers with view glasses.
- (d) Buchholz relay with alarm and trip contacts and one shut off valve on conservator side, size 80 mm.
- (e) Pressure relief valve.
- (f) Oil temperature indicator with maximum pointer and one electrical contract.
- (g) Pocket on tank cover for Thermometer.
- (h) Winding Temperature Indicator with maximum pointer and 3 sets of contacts.
- (i) Transmitter type WTI with remote indicator.
- (j) VALVES:
- 1. Drain valve with blanking flange size 80/100 mm (the same can be used for filter purposes)
- 2. 2 Nos. filter valves on diagonally opposite corners of size 50 mm.
- 3. 2 Nos. sampling valves for collecting top and bottom oil samples of the transformer, located at a convenient height and of size 15 mm.
- 4. Oil valves between cooler and main tank.
- (k) 2 Nos. earthing terminals.
- (1) Rating and Diagram plate.
- (m) Valve schedule plate for Transformer.
- (n) Jacking pads.
- (o) Lifting bollards and pulling eyes.
- (p) Air release devices.
- (q) Inspection Cover.
- (r) Haulage lugs.
- (s) Bidirectional, sectional flanged rollers with locking and bolting device of guage 1676 mm in shorter axis and 1676 mm in the longer axis.
- (t) Wiring upto marshalling box with PVC SWA PVC stranded Copper Cables, 660/1,100 volts grade.
- (u) Tank mounting weather proof marshalling box for housing control equipment and terminal connections.

- (v) On load tap changing gear with remote tap changer control cubicle. The dimensions of RTCC:2250X1000X760mm colour: Shade 631 of IS.5
- (w) 1. All the Transformers HV and LV bushings of reputed indigenous make.
 - 2. Tank and Radiators thickness to be specified.

(x) COOLING ACCESSORIES: ONAN/ONAF Cooling

- 1. Requisite No. of radiators with shut off valves.
- Fans mounted underneath the transformer or on the radiators.
 The supporting frames for the cooling Fans must be fixed to the main tank in such a manner that the fan vibration does not affect the performance of the radiators and its valves.
- 3. Drain and sampling device.
- 4. Air release device.
- (y) The supplier has to provide two Nos. earthing flats 100 x 16 mm hot dip galvanized steel flat for the suitably supported on the tank over insulated supports. The grounding flat has to terminate at ground level on transformer tank with 4 Nos. M 16 bolts (if possible Cadmium bolts) and spring washers for each flat for connection to purchasers grounding level. Earthing terminal pad should be flat for easy connection of earth flat.
- 4. Control Circuit : Stud type only terminals
- 5. Terminal Connectors : Terminal Connectors of HV & LV sides shall be suitable for single/double Moose ACSR conductor and suitable for both horizontal and vertical takeoff and conform to 5.8.2 of Specification.
- 6. Provision shall be made to the Transformer for "Nitrogen Injection Fire protection System" which will be suitable with sensing Technology.
- 7. The FCC shall be mounted on the main tank of the PTR to avoid separate civil works for mounting of the FCC.
- 8. Potential Equalizers should be provided for power transformer for equalizing potential

ANNEXURE -_II

PRICE VARIATION CLAUSE FOR 31.5MVA 132/11KV POWER TRANSFORMERS

Wherein

P = Price payable as adjusted in accordance with the above formula

Po = Price quoted/confirmed

Co = Average LME settlement price of copper wire bars (refer notes)

This price is as applicable for the month, <u>ONE</u> month prior to the date of tendering.

ESo = Price of CRGO Electrical Steel Lamination (refer notes)

This price is as applicable on the 1st working day of the month, <u>ONE</u> month prior to the date of tendering.

ISo = Average price of steel plates 10mm thick (refer notes)

This price is as applicable for the 1st working day of the month, <u>ONE</u> month prior to the date of tendering.

IMo = Price of Insulating Materials (refer notes)

This price is as applicable on the 1st working day of the month, <u>ONE</u> month prior to the date of tendering.

TOo = Price of Transformer Oil (refer notes)

This price is as applicable on the 1st working day of the month, <u>ONE</u> month prior to the date of tendering.

Wo = All India average consumer price index number for industrial workers, as published by the Labour Bureau, Ministry of Labour, Govt. of India (Base: 2001=100)

This price is as applicable on the 1st working day of the month, <u>THREE</u> months prior to the date of tendering.

The above prices and indices are as published by IEEMA vide circular reference number IEEMA (PVC)/TRF(R-1)_/one month prior to the date of tendering.

C = Average LME settlement price of Copper wire bars (refer notes)

This price is as applicable for the month, <u>TWO</u> months prior to the date of delivery.

ES = Price of CRGO Electrical Steel Lamination (refer notes)
This price is as applicable on the 1st working day of the month, <u>TWO</u> months prior to the date of delivery.

IS = Average price of steel plates 10mm thick (refer notes)

This price is as applicable for the 1st working day of the month, <u>ONE</u> month prior to the date of delivery.

IM = Price of Insulating Materials (refer notes)

This price is as applicable on the 1st working day of the month, <u>TWO</u> months prior to the date of delivery.

TO = Price of Transformer Oil (refer notes)

This price is as applicable on the 1st working day of the month, <u>ONE</u> month prior to the date of delivery.

W = All India average consumer price index number for industrial workers, as published by the Labour Bureau, Ministry of Labour, Govt. of India (Base: 2001=100)

This index number is as applicable on the 1st working day of the month, <u>THREE</u> months prior to the date of delivery.

The above prices and indices are as published by IEEMA vide circular reference number IEEMA (PVC)/TRF(R-1)_/_one month prior to the date of delivery.

The "date of delivery" is the date on which the equipment is notified as being ready for inspection/dispatch (in the absence of such notification, the date of manufacturer's dispatch note shall be considered as the date of delivery) or the contracted delivery date (including any agreed extension thereto), whichever shall be earlier.

Irrespective of the increase in the prices of raw materials the price variance (increase) will be limited to a maximum of 50% over the original quoted price and no ceiling for negative variation.

The proportionate taxes and duties on such increase or decrease in the price is to the TSTRANSCO's account, as per actual on production of the gate pass relating to the consignments for which price variation is claimed.

If the date of delivery as defined in the P.V. formula is beyond the contracted delivery date the scheduled delivery date or Notified date of Inspection or the actual delivery date which ever is advantageous to the Purchaser will form the basis for calculation of price variation.

CHIEF ENGINEER/P&MM