

# TRANSMISSION CORPORATION OF TELANGANA LIMITED VIDYUT SOUDHA:: HYDERABAD – 500 082. Off: PABX:040-23396000 Website:www.tstransco.in CIN No:U40102TG2014SGC094248

Augmentation of PTR capacity from 3x50 MVA to 1 x 80 + 2x50 MVA at 132KV Medchal Substation—Administrative Approval -Regarding.

\_\_\_\_\_\_

#### T.O.O. CE (Transmission) Ms. No. 1411

Dt. 06.06.2022.

Read the following

# **ORDER:**

The 132 KV Medchal SS is having 4Nos. 132KV feeders. 3x50MVA PTRs and 17Nos. 33KV feeders that are catering industrial and domestic loads. The maximum station demand reached so far is 127MW at 17:00 Hrs on 05.04.2022.

During a co-ordination meeting with TSSPDCI. held on 27.04.2022. the TSSPDCL officials have requested for PTR augmentation to cater additional load demands in and around Medchal.

Hence, augmentation of one of the existing PTR 50MVA with 80MVA is proposed for consideration.

- 2) After careful examination, TSTRANSCO accords approval as detailed below:
- i. Augmentation of PTR capacity at 132 KV Medchal SS to avoid over loading of PTRs during peak load and to avoid load shedding for industrial and residential customers:

Sl.	Name of the	<b>Existing PTRs</b>	<b>Enhancement of</b>	Enhanced	Estimated
No	substation	Capacity (in	PTRs capacity	PTR	cost in
		MVA)	(in MVA)	capacity in	Lakhs(Rs.)
				MVA	
1	132 KV Medchal SS	3x50	1x80+2x50	30	25.63
				Total	25.63

- ii. The Chief Engineer/Metro Zone is authorized to take up the works of augmentation of PTR capacity from 3x50 MVA to 1 x 80 + 2x50 MVA at 132KV Medchal Sub-station by moving 80 MVA PTR from 132 KV Chilakalguda SS to 132 KV Medchal SS and released 50 MVA shall be transferred from 132KV Medchal SS to 132 KV Chilakalguda SS by calling tenders on top priority, as per the delegation of powers in vogue.
- iii. The FA&CCA(Accounts) & CFO to arrange necessary budget from TSTRANSCO funds.
- iv. Scheme code shall be provided and capital budget shall be allocated during 2022-23 and for the subject scheme for the Metro Zone.

- v. The Chief Engineer/P&MM for procurement of associated equipment / material, as per the Cost data.
- 3) This order is issued with the concurrence of the Joint Managing Director (Fin., Comml. & HRD) vide Regd. No. 2255, Dt: 31.05.2022.

#### (BY ORDER AND IN THE NAME OF TRANSMISSION CORPORATION OF TELANGANA LIMITED)

# D. PRABHAKAR RAO Chairman & Managing Director

# To

The Chief Engineer/ Transmission/ TSTRANSCO/Vidyut Soudha/Hyderabad.

The Chief Engineer/P &MM/TSTRANSCO/Vidyut Soudha/Hyderabad.

The FA & CCA (Accounts) /TSTRANSCO/Vidyut Soudha, Hyderabad.

The Chief Engineer/Metro Zone/ TSTRANSCO

# Copy to:

The Chief Engineer/Comml., &RAC/TSTRANSCO/Vidyut Soudha/ Hyderabad.

The Chief Engineer/SLDC/TSTRANSCO/Vidyut Soudha/ Hyderabad.

The Chief Engineer/400KV /TSTRANSCO/Vidyut Soudha/Hyderabad.

The Chief Engineer/Construction /TSTRANSCO/Vidyut Soudha/Hyderabad.

The Superintending Engineer/Construction/Vidyut Soudha/Hyderabad.

The Superintending Engineer/Schemes& Designs/Construction/Vidyut Soudha/Hyderabad

The Superintending Engineer/Power Systems/TSTRANSCO/Vidyut Soudha/ Hyderabad.

The Superintending Engineer/P&MM/TSTRANSCO/Vidyut Soudha/Hyderabad.

The Superintending Engineer /OMC/Metro-West/TSTRANSCO.

The Superintending Engineer /Civil /TSTRANSCO/Vidyut Soudha/Hyderabad.

The Superintending Engineer/Civil/ Metro /Hyderabad.

The Superintending Engineer/Operation/Central/TSSPDCL

The SE (Technical) to CMD/TSTRANSCO/Vidyut Soudha / Hyderabad.

The DE(Technical) to CMD /TSSPDCL/Hyderabad.

The DE(Technical) to Director / Projects / TSTRANSCO/Vidyut Soudha/ Hyderabad

The DE(Technical) to Director (Transmission)/TSTRANSCO/ Vidyut Soudha/ Hyderabad.

The ADE/(Technical) to Director (LIS)/TSTRANSCO/Vidyut Soudha/ Hyderabad.

The AE (Technical) to Director/ Grid Operation/TSTRANSCO/Vidyut Soudha/ Hyderabad.

PA to JMD(Fin.Comml,& HRD)/TSTRANSCO/ Vidyut Soudha/ Hyderabad.

# Current File:CE(Tr)/SE(Tr)/DE(SS)/ADE-2/File No.379/22 /D.No. 180/22, Dt: 06.06.2022

Energy saved is energy produced // Electricity saved is electricity produced